

## Bowl | BGO



Image shows:  
9.9900.00.038




Image shows:  
9.9900.00.038

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

### technical data

- supply pressure P1 min.: 1,5 bar
- supply pressure P1 max.: 12 bar
- temperature range: -10°C - +50°C
- bowl: PC
- drain: HA
- fixing: screw thread

### accessories

type	part-number	description
C.00 HA4	9.9900.00.038	PC bowl with semi automatic drain and o-ring 30x2

## Bowl | BGO



Image shows:  
8.2100.96.001.2



Image shows:  
8.2100.96.001.2

### technical data

- supply pressure P1 min.: 1,5 bar
- supply pressure P1 max.: 12 bar
- temperature range: -10°C - +50°C
- bowl: metal bowl
- drain: HA
- fixing: screw thread

### accessories

type	part-number	description
C.00 M HA4	8.2100.96.001.2	Metal bowl with semi automatic drain and o-ring 30x2

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

## Bowl | BGO



Image shows:  
9.9900.00.019



Image shows:  
9.9900.00.019

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

### technical data

- supply pressure P1 min.: 1,5 bar
- supply pressure P1 max.: 12 bar
- temperature range: -10°C - +50°C
- bowl: metal bowl
- drain: AM NO
- fixing: screw thread

### accessories

type	part-number	description
C.00 M AM10	9.9900.00.019	Metal bowl with automatic drain and o-ring 30x2
C.00 M AM10/NC	9.9900.00.052	Metal bowl with automatic drain (usually closed) and o-ring 30x2

## Bowl | BG0, BG1



Image shows:  
8.2111.84.002



Image shows:  
8.2111.84.002

### technical data

- supply pressure P1 min.: 1,5 bar
- supply pressure P1 max.: 12 bar
- temperature range: -10°C - +50°C
- bowl: PC
- drain: AM NO
- fixing: screw thread

### accessories

type	part-number	description
C.11 AM10	8.2111.84.002	PC bowl with automatic drain and o-ring 30x2
C.11 AM10/NC	9.9911.00.030	PC bowl with automatic drain (usually closed) and o-ring 30x2

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

## Bowl | BG1



Image shows:  
90001.0200



Image shows:  
90001.0200

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

### technical data

- supply pressure P1 min.: 1,5 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: PC with PA bowl guard
- drain: HA
- fixing: bayonet catch

### accessories

type	part-number	description
BE.1 HA4	90001.0200	PC bowl with bowl guard, semi automatic drain and o-ring 32x2,5

## Bowl | BG1



Image shows:  
90001.0201



Image shows:  
90001.0201

### technical data

- supply pressure P1 min.: 1,5 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: PC with PA bowl guard
- drain: AM NO
- fixing: bayonet catch

### accessories

type	part-number	description
BE.1 AM10	90001.0201	PC bowl with bowl guard, automatic drain and o-ring 32x2,5
BE.1 AM10/NC	90001.0205	PC bowl with bowl guard, automatic drain (usually closed) and o-ring 32x2,5

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

## Bowl | BG1



Image shows:  
90001.0220



Image shows:  
90001.0220

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

### technical data

- supply pressure P1 min.: 1,5 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: metal bowl with level indicator
- drain: HA
- fixing: bayonet catch

### accessories

type	part-number	description
BE.1 H HA4	90001.0220	Bowl metal/visual display with semi automatic drain and o-ring 32x2,5

## Bowl | BG1



Image shows:  
90001.0221



Image shows:  
90001.0221

### technical data

- supply pressure P1 min.: 1,5 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: metal bowl with level indicator
- drain: AM NO
- fixing: bayonet catch

### accessories

type	part-number	description
BE.1 H AM10	90001.0221	Bowl metal/visual display with automatic drain and o-ring 32x2,5
BE.1 H AM10/NC	90001.0225	Bowl metal/visual display with automatic drain (usually closed) and o-ring 32x2,5

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products



## Bowl | BG1



Image shows:  
90001.0203



Image shows:  
90001.0203

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

### technical data

- supply pressure P1 min.: 0 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: PC with PA bowl guard
- fixing: bayonet catch

### accessories

type	part-number	description
BE.1 c	90001.0203	PC bowl closed with bowl guard and o-ring 32x2,5

## Bowl | BG1



Image shows:  
90001.0223




Image shows:  
90001.0223

### technical data

- supply pressure P1 min.: 0 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: metal bowl with level indicator
- fixing: bayonet catch

### accessories

type	part-number	description
BE.1 H c	90001.0223	Bowl metal/visual display closed and o-ring 32x2,5

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

## Bowl | BG2



Image shows:  
90002.0200



Image shows:  
90002.0200

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

### technical data

- supply pressure P1 min.: 1,5 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: PC with PA bowl guard
- drain: HA
- fixing: bayonet catch

### accessories

type	part-number	description
BE.2 HA4	90002.0200	PC bowl with bowl guard, semi automatic drain and o-ring 37,5x2,5

## Bowl | BG2



Image shows:  
90002.0201



Image shows:  
90002.0201

### technical data

- supply pressure P1 min.: 1,5 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: PC with PA bowl guard
- drain: AM NO
- fixing: bayonet catch

### accessories

type	part-number	description
BE.2 AM10	90002.0201	PC bowl with bowl guard, automatic drain and o-ring 37,5x2,5
BE.2 AM10/NC	90002.0205	PC bowl with bowl guard, automatic drain (usually closed) and o-ring 37,5x2,5

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

## Bowl | BG2



Image shows:  
90002.0220



Image shows:  
90002.0220

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

### technical data

- supply pressure P1 min.: 1,5 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: metal bowl with level indicator
- drain: HA
- fixing: bayonet catch

### accessories

type	part-number	description
BE.2 H HA4	90002.0220	Bowl metal/visual display with semi automatic drain and o-ring 37,5x2,5

## Bowl | BG2



Image shows:  
90002.0221



Image shows:  
90002.0221

### technical data

- supply pressure P1 min.: 1,5 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: metal bowl with level indicator
- drain: AM NO
- fixing: bayonet catch

### accessories

type	part-number	description
BE.2 H AM10	90002.0221	Bowl metal/visual display with automatic drain and o-ring 37,5x2,5
BE.2 H AM10/NC	90002.0225	Bowl metal/visual display with automatic drain (usually closed) and o-ring 37,5x2,5

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

## Bowl | BG2



Image shows:  
90002.0203



Image shows:  
90002.0203

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

### technical data

- supply pressure P1 min.: 0 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: PC with PA bowl guard
- fixing: bayonet catch

### accessories

type	part-number	description
BE.2 c	90002.0203	PC bowl closed with bowl guard and o-ring 37,5x2,5

## Bowl | BG2



Image shows:  
90002.0223



Image shows:  
90002.0223

### technical data

- supply pressure P1 min.: 0 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: metal bowl with level indicator
- fixing: bayonet catch

### accessories

type	part-number	description
BE.2 H c	90002.0223	Bowl metal/visual display closed and o-ring 37,5x2,5

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products



## Bowl | BG4



Image shows:  
90004.0200



Image shows:  
90004.0200

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

### technical data

- supply pressure P1 min.: 1,5 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: PC with PA bowl guard
- drain: HA3
- fixing: bayonet catch

### accessories

type	part-number	description
BE.4 HA3	90004.0200	PC bowl with bowl guard, semi automatic drain and o-ring 55x2,5

## Bowl | BG4



Image shows:  
90004.0201



Image shows:  
90004.0201

### technical data

- supply pressure P1 min.: 1,5 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: PC with PA bowl guard
- drain: AM NO
- fixing: bayonet catch

### accessories

type	part-number	description
BE.4 AM10	90004.0201	PC bowl with bowl guard, automatic drain and o-ring 55x2,5
BE.4 AM10/NC	90004.0205	PC bowl with bowl guard, automatic drain (usually closed) and o-ring 55x2,5

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

## Bowl | BG4



Image shows:  
90004.0220



Image shows:  
90004.0220

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

### technical data

- supply pressure P1 min.: 1,5 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: metal bowl with level indicator
- drain: HA3
- fixing: bayonet catch

### accessories

type	part-number	description
BE.4 H HA3	90004.0220	Bowl metal/visual display with semi automatic drain and o-ring 55x2,5

## Bowl | BG4



Image shows:  
90004.0221



Image shows:  
90004.0221

### technical data

- supply pressure P1 min.: 1,5 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: metal bowl with level indicator
- drain: AM NO
- fixing: bayonet catch

### accessories

type	part-number	description
BE.4 H AM10	90004.0221	Bowl metal/visual display with automatic drain and o-ring 55x2,5
BE.4 H AM10/NC	90004.0225	Bowl metal/visual display with automatic drain (usually closed) and o-ring 55x2,5

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

## Bowl | BG4



Image shows:  
90004.0203




Image shows:  
90004.0203

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products

### technical data

- supply pressure P1 min.: 0 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: PC with PA bowl guard
- fixing: bayonet catch

### accessories

type	part-number	description
BE.4 c	90004.0203	PC bowl closed with bowl guard and o-ring 55x2,5

## Bowl | BG4



Image shows:  
90004.0223



Image shows:  
90004.0223

### technical data

- supply pressure P1 min.: 0 bar
- supply pressure P1 max.: 16 bar
- temperature range: -10°C - +50°C
- bowl: metal bowl with level indicator
- fixing: bayonet catch

### accessories

type	part-number	description
BE.4 H c	90004.0223	Bowl metal/visual display closed and o-ring 55x2,5

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator

Lubricator

System extensions

Accessories

Special products