

PNEUMATIC, FLUID, & AGGRESSIVE APPLICATIONS

Push-In Fittings, Push-On Fittings, Flow Control Regulators,
Pneumatic Function Fittings & Valves, Blowguns, Couplers, Hose & Tubing

Mac Valves Pacific have an extensive range of polymer, nickel-plated, and stainless steel fittings, as well as safety accessories & tubing that suit most pneumatic, fluid, food-grade processing, aggressive fluids and other chemical applications.



Please contact us if you require a product that is not listed in this catalogue.

Push-In Fittings - Polymer/Threaded, Tube-To-Tube, Plug-In & Accessories

3175



Male Stud Fitting, Hexagonal, BSPT Thread, Polymer/Nickel-Plated



ØD	C	P/N
4	R1/8	3175 04 10
4	R1/4	3175 04 13
6	R1/8	3175 06 10
6	R1/4	3175 06 13
6	R3/8	3175 06 17
6	R1/2	3175 06 21
8	R1/8	3175 08 10
8	R1/4	3175 08 13
8	R3/8	3175 08 17
10	R1/4	3175 10 13
10	R3/8	3175 10 17
10	R1/2	3175 10 21
12	R3/8	3175 12 17
12	R1/2	3175 12 21
14	R3/8	3175 14 17
14	R1/2	3175 14 21

3101



Male Stud Fitting, Hexagonal, BSPP & Metric Thread, Polymer/Nickel-Plated



ØD	C	P/N
4	M5x0,8	3101 04 19
4	G1/8	3101 04 10
4	G1/4	3101 04 13
6	M5x0,8	3101 06 19
6	G1/8	3101 06 10
6	G1/4	3101 06 13
6	G3/8	3101 06 17
8	G1/8	3101 08 10
8	G1/4	3101 08 13
8	G3/8	3101 08 17
10	G1/4	3101 10 13
10	G3/8	3101 10 17
10	G1/2	3101 10 21
12	G3/8	3101 12 17
12	G1/2	3101 12 21
14	G3/8	3101 14 17
14	G1/2	3101 14 21

3109



Male Stud Elbow, BSPT Thread, Polymer/Nickel-Plated



ØD	C	P/N
4	R1/8	3109 04 10
4	R1/4	3109 04 13
4	R3/8	3109 04 17
6	R1/8	3109 06 10
6	R1/4	3109 06 13
6	R3/8	3109 06 17
8	R1/8	3109 08 10
8	R1/4	3109 08 13
8	R3/8	3109 08 17
10	R1/4	3109 10 13
10	R3/8	3109 10 17
10	R1/2	3109 10 21
12	R3/8	3109 12 17
12	R1/2	3109 12 21
14	R3/8	3109 14 17
14	R1/2	3109 14 21

3199



Male Stud Elbow, BSPP & Metric Thread, Polymer/Nickel-Plated



ØD	C	P/N
4	M5x0,8	3199 04 19
4	G1/8	3199 04 10
4	G1/4	3199 04 13
6	M5x0,8	3199 06 19
6	G1/8	3199 06 10
6	G1/4	3199 06 13
6	G3/8	3199 06 17
8	G1/8	3199 08 10
8	G1/4	3199 08 13
8	G3/8	3199 08 17
10	G1/4	3199 10 13
10	G3/8	3199 10 17
10	G1/2	3199 10 21
12	G3/8	3199 12 17
12	G1/2	3199 12 21
14	G3/8	3199 14 17
14	G1/2	3199 14 21

3129



Extended Male Stud Elbow, BSPT Thread, Polymer/Nickel-Plated



ØD	C	P/N
4	R1/8	3129 04 10
4	R1/4	3129 04 13
6	R1/8	3129 06 10
6	R1/4	3129 06 13
8	R1/8	3129 08 10
8	R1/4	3129 08 13
8	R3/8	3129 08 17
10	R1/4	3129 10 13
10	R3/8	3129 10 17
10	R1/2	3129 10 21

3169



Extended Male Stud Elbow, BSPP & Metric, Polymer/Nickel-Plated



ØD	C	P/N
4	M5x0,8	3169 04 19
4	G1/8	3169 04 10
6	M5x0,8	3169 06 19
6	G1/8	3169 06 10
6	G1/4	3169 06 13
8	G1/8	3169 08 10
8	G1/4	3169 08 13

3133



45° Male Elbow, BSPP & M5 Thread, Polymer/Nickel-Plated



ØD	C	P/N
4	M5x0,8	3133 04 19
4	G1/8	3133 04 10
6	M5x0,8	3133 06 19
6	G1/8	3133 06 10
6	G1/4	3133 06 13
8	G1/8	3133 08 10
8	G1/4	3133 08 13
8	G3/8	3133 08 17

3192



Female Stud Elbow, BSPP Thread, Polymer/Nickel-Plated



ØD	C	P/N
4	G1/8	3192 04 10
4	G1/4	3192 04 13
6	G1/8	3192 06 10
6	G1/4	3192 06 13
8	G1/8	3192 08 10
8	G1/4	3192 08 13

3113



45° Male Elbow, BSPT Thread, Polymer/Nickel-Plated



ØD	C	P/N
4	R1/8	3129 04 10
6	R1/8	3129 06 10
6	R1/4	3129 06 13
8	R1/8	3129 08 10
8	R1/4	3129 08 13
8	R3/8	3129 08 17

3114



Female Stud Fitting, BSPP & M5 Thread, Polymer/Nickel-Plated



ØD	C	P/N
4	M5x0,8	3114 04 19
4	G1/8	3114 04 10
4	G1/4	3114 04 13
6	G1/8	3114 06 10
6	G1/4	3114 06 13
8	G1/8	3114 08 10
8	G1/4	3114 08 13

3198



Male Stud Branch Tee, BSPP & M5 Thread, Polymer/Nickel-Plated



ØD	C	P/N
4	M5x0,8	3198 04 19
4	G1/8	3198 04 10
6	M5x0,8	3198 06 19
6	G1/8	3198 06 10
6	G1/4	3198 06 13
8	G1/8	3198 08 10
8	G1/4	3198 08 13

3102



Equal Elbow - Polymer/Nickel-Plated



ØD	P/N
4	3102 04 00
6	3102 06 00
8	3102 08 00
10	3102 10 00
12	3102 12 00
14	3102 14 00

3103

Male Stud Run Tee, BSPT & NPT Thread, Polymer/Threaded



ØD	C	P/N
4	R1/8	3103 04 10
4	R1/4	3103 04 13
6	R1/8	3103 06 10
6	R1/4	3103 06 13
8	R1/8	3103 08 10
8	R1/4	3103 08 13
8	R3/8	3103 08 17
10	R1/4	3103 10 13
10	R3/8	3103 10 17
10	R1/2	3103 10 21
12	R1/4	3103 12 13
12	R3/8	3103 12 17
12	R1/2	3103 12 21
14	R1/2	3103 14 21
16	R3/8	3103 14 17
16	R1/2	3103 12 21

3121

Plug-In - Male Standpipe, BSPT Thread, Polymer/Threaded



ØD	C	P/N
4	R1/8	3121 04 10
4	R1/4	3121 04 13
6	R1/8	3121 06 10
6	R1/4	3121 06 13
8	R1/8	3121 08 10
8	R1/4	3121 08 13
8	R3/8	3121 08 17
10	R1/4	3121 10 13
10	R3/8	3121 10 17
10	R1/2	3121 10 21
12	R3/8	3121 12 17
12	R1/2	3121 12 21
14	R1/2	3121 14 21

3136

Female Bulkhead Connector, BSPP Thread, Polymer/Threaded



ØD	C	P/N
4	G1/8	3136 04 10
4	G1/4	3136 04 13
6	G1/8	3136 06 10
6	G1/4	3136 06 13
8	G1/8	3136 08 10
8	G1/4	3136 08 13

3148

Y Male Connector, Tube-To-NPT or BSPT, Polymer/Threaded



ØD	C	P/N
5/32	R1/8	3148 04 10
5/32	R1/4	3148 04 13
5/16	R1/8	3148 08 10
5/16	R1/4	3148 08 13
5/16	R3/8	3148 08 17

3139

Equal Bulkhead Elbow, Polymer/Threaded



ØD	C	P/N
4	16	3139 04 00
6	18	3139 06 00
8	21,5	3139 08 00

3304


Multiple 'Y' Piece, Equal & Unequal, Polymer



ØD1	ØD2	P/N
6	4	3304 06 04
8	4	3304 08 04
8	6	3304 08 06
10	6	3304 06 06
10	8	3304 06 08

3306

Unequal Multiple Elbow With Fixing Holes, Polymer



ØD1	ØD2	P/N
6	4	3306 06 04
8	4	3306 08 04
8	6	3306 08 06
10	6	3306 10 06
10	8	3306 10 08

3107

Equal Cross With Fixing Holes, Polymer



ØD1	ØD2	P/N
6	4	3107 06 04
8	4	3107 08 04
8	6	3107 08 06
10	6	3107 10 06
10	8	3107 10 08

3116

Bulkhead Connector, Polymer



ØD	C	P/N
4	16	3116 04 00
6	18	3116 06 00
8	21,5	3116 08 00
10	26	3116 10 00
12	31	3116 12 00
14	34,5	3116 14 00

3106

Straight Connector, Polymer



ØD	P/N
4	3106 04 00
6	3106 06 00
8	3106 08 00
10	3106 10 00
12	3106 12 00
14	3106 14 00

3166

Reducer, Polymer



ØD	C	P/N
4	6	3166 04 06
4	8	3166 04 08
6	8	3166 06 08
6	10	3166 06 10
8	10	3166 08 10
8	12	3166 08 12
8	14	3166 08 14
10	12	3166 10 12
10	14	3166 10 14
12	14	3166 12 14

3104

Equal & Unequal Tee, Polymer



ØD1	ØD2	P/N
4	4	3104 04 00
6	6	3104 06 00
6	4	3104 06 04
8	8	3104 08 00
8	6	3104 08 06
10	10	3104 10 00
10	8	3104 10 08
12	12	3104 12 00
14	14	3104 14 00

3182


Equal Compact Elbow, Plastic Tailpiece, Polymer



ØD	C	P/N
4	4	3182 04 00
6	6	3182 06 00
8	8	3182 08 00

3140

Single 'Y' Piece, Equal & Unequal, Polymer



ØD1	ØD2	P/N
4	4	3140 04 00
4	6	3140 04 06
6	6	3140 06 00
6	8	3140 08 08
8	8	3140 08 00

3151

Female Plug With Instant Connection, Polymer



ØD	C	P/N
4	4	3151 04 00
6	6	3151 06 00
8	8	3151 08 00
10	10	3151 10 00
12	12	3151 12 00

3188

Equal Compact Tee, Plastic Tailpiece, Polymer



ØD	C	P/N
4	4	3188 04 00
6	6	3188 06 00
8	8	3188 08 00

3144

Multiple 'Y' Piece, Equal & Unequal, Polymer



ØD1	ØD2	P/N
4	4	3144 04 04
4	6	3144 04 06
6	6	3144 06 06
6	8	3144 06 08

3188

Increaser, Polymer



ØD	C	P/N
6	4	3188 06 04
8	6	3188 08 06
10	8	3188 10 08

3120

Double Male Stem Connector, Polymer



ØD	P/N
4	3120 06 00
6	3120 08 00
8	3120 10 00

3126

Blanking Plug, Polymer



ØD	P/N
4	3126 04 00
6	3126 06 00
8	3126 08 00

Push-In Fittings - *LIQUIfit Food Grade*

Legris LIQUIfit

The LIQUIfit body is manufactured from a unique bio-based, high performance polymer produced from renewable plants, to expand the use of non-fossil-based resources. Legris LIQUIfit fittings offers an “eco-designed” innovative alternative for water & beverage applications; no fluid contamination occurs and environmental protection is guaranteed.

Markets:

Water Filtration • Beverage Dispensing • Life Science • Bottling • Semi-Conductor • Medical


Applications:

Water Purification Systems • Water Dispensers • Hot & Cold Drink Dispensers
Cooling Systems • Food Process • CO2

Features & Benefits:

Stainless steel grab ring • EPDM D-seal • Meets requirements of FDA, NSF 51 and NSF 61
D-seal provides a positive seal on the O.D. of the tube • High chemical resistance
Inch & metric sizes, 5/32" - 1/2", 4mm - 12mm • NPTF, UNS, BST threads

For more information and ordering please contact MVP.


 Push-In Fittings - *Nickel-Plated Brass*

3601

Male Stud, BSP Parallel & Metric, Nickel-Plated Brass

ØD	C	P/N
4	M5x0,8	3601 04 19
4	G1/8	3601 04 10
4	G1/4	3601 04 13
6	M5x0,8	3601 06 19
6	G1/8	3601 06 10
6	G1/4	3601 06 13
8	G1/8	3601 08 10
8	G1/4	3601 08 13
8	G3/8	3601 08 17
10	G1/4	3601 10 13
10	G3/8	3601 10 17
10	G1/2	3601 10 21
12	G1/4	3601 12 13
12	G3/8	3601 12 17
12	G1/2	3601 12 21
14	G3/8	3601 14 17
14	G1/2	3601 14 21

57000

Straight Male Adaptor Universal Short, Nickel-Plated Brass

ØD	C	P/N
6	1/8	57000 00 002
6	1/4	57000 00 003
6	3/8	57000 00 014
6	1/2	57000 00 015
10	1/4	57000 00 007
10	3/8	57000 00 008
10	1/2	57000 00 017
12	1/4	57000 00 009
12	3/8	57000 00 010
12	1/2	57000 00 018
14	3/8	57000 00 019
14	1/2	57000 00 020

57030

Straight Female Adaptor, Nickel-Plated Brass

ØD	C	P/N
4	M5	57030 00 008
4	1/8	57030 00 001
4	1/4	57030 00 009
5	1/8	57030 00 006
6	1/8	57030 00 002
6	1/4	57030 00 003
8	1/8	57030 00 004
8	1/4	57030 00 005
8	3/8	57030 00 010
10	1/4	57030 00 011
10	3/8	57030 00 012
10	1/2	57030 00 013
12	3/8	57030 00 014
12	1/2	57030 00 015

3699

Male Stud Elbow, BSPP & Metric Thread, Nickel-Plated Brass

ØD	C	P/N
4	M5x0,8	3699 04 19
4	G1/8	3699 04 10
4	G1/4	3699 04 13
6	G1/8	3699 06 10
6	G1/4	3699 06 13
8	G1/8	3699 08 10
8	G1/4	3699 08 13
8	G3/8	3699 08 17
10	G1/4	3699 10 13
10	G3/8	3699 10 17
12	G1/4	3699 12 13
12	G3/8	3699 12 17
12	G1/2	3699 12 21
14	G3/8	3699 14 17
14	G1/2	3699 14 21

57111

Orienting Elbow Male Adaptor, Universal Short, Nickel-Plated Brass

ØD	C	P/N
6	1/8	57111 00 004
6	1/4	57111 00 005
10	1/4	57111 00 010
10	3/8	57111 00 011
10	1/2	57111 00 012
12	3/8	57111 00 013
12	1/2	57111 00 014
14	3/8	57111 00 015
14	1/2	57111 00 016

3602

Equal Elbow, Nickel-Plated Brass

ØD	P/N
4	3602 04 00
6	3602 06 00
8	3602 08 00
10	3602 10 00
12	3602 12 00
14	3602 14 00

57130

Equal Elbow, Nickel-Plated Brass

ØD	P/N
4 (5/32)	*57130 00 001
5	57130 00 006
6	57130 00 002
8 (5/16)	*57130 00 003
10	57130 00 004
12	57130 00 005
14	57130 00 008

3669

Extended Male Stud Elbow, BSPP & Metric, Nickel-Plated Brass

ØD	C	P/N
4	M5x0,8	3669 04 19
4	G1/8	3669 04 10
6	G1/8	3669 06 10
6	G1/4	3669 06 13
8	G1/8	3669 08 10
8	G1/4	3669 08 13

3604

Equal Tee, Nickel-Plated Brass



ØD	P/N
4	3604 04 00
6	3604 06 00
8	3604 08 00
10	3604 10 00
12	3604 12 00
14	3604 14 00

57230

Tee Connector, Nickel-Plated Brass



ØD	P/N
4 (5/32)	*57230 00 001
5	57230 00 006
6	57230 00 002
8 (5/16)	*57230 00 003
10	57230 00 004
12	57230 00 005
14	57230 00 008

3698

Male Stud Branch Tee, BSPP & Metric, Nickel-Plated Brass



ØD	C	P/N
4	M5x0,8	3698 04 19
4	G1/8	3698 04 10
6	G1/8	3698 06 10
6	G1/4	3698 06 13
8	G1/8	3698 08 10
8	G1/4	3698 08 13

57211

Orienting Tee Male Adaptor
Universal Short - Centre Leg,
Nickel-Plated Brass



ØD	C	P/N
6	1/8	57211 00 004
6	1/4	57211 00 005
10	1/4	57211 00 010
10	3/8	57211 00 011
10	1/2	57211 00 012
12	3/8	57211 00 013
12	1/2	57211 00 014

57223

Orienting Tee Male Adaptor
Universal Short Off-Set Leg,
Nickel-Plated Brass



ØD	C	P/N
6	1/8	57223 00 004
6	1/4	57223 00 005
10	1/4	57223 00 010
10	3/8	57223 00 011
10	1/2	57223 00 012
12	3/8	57223 00 013
12	1/2	57223 00 014

3693

Male Stud Run Tee, BSPP & Metric, Nickel-Plated Brass



ØD	C	P/N
4	M5x0,8	3693 04 19
4	G1/8	3693 04 10
6	G1/8	3693 06 10
6	G1/4	3693 06 13
8	G1/8	3693 08 10
8	G1/4	3693 08 13

57040

Tube-To-Tube Connector, Nickel-Plated Brass



ØD	C	P/N
4 (5/32)		57040 00 001
5		57040 00 008
6	4	57040 00 002
6		57040 00 003
8	6	57040 00 004
8 (5/16)		57040 00 005
10	8	57040 00 011
10		57040 00 006
12	10	57040 00 012
12		57040 00 007
14		57040 00 010

3606

Equal Tube-To-Tube Connector,
Nickel-Plated Brass



ØD	P/N
4	3606 04 00
6	3606 06 00
8	3606 08 00
10	3606 10 00
12	3606 12 00
14	3606 14 00

57310

Y Connector, Nickel-Plated Brass



ØD	P/N
4 (5/32)	*57310 00 001
5	57310 00 004
6	57310 00 002
8 (5/16)	*57310 00 003
10	57310 00 008

3616

Equal Bulkhead Connector,
Nickel-Plated Brass



ØD	P/N
4	3616 04 00
6	3616 06 00
8	3616 08 00
10	3616 10 00
12	3616 12 00
14	3616 14 00

57050

Bulkhead Connector, Nickel-Plated Brass



ØD	C	P/N
4 (5/32)	M12	57050 00 001
5	M14	57050 00 006
6	M14	57050 00 002
8 (5/16)	M16	57050 00 003
10	M20	57050 00 004
12	M22	57050 00 005

3666

Plug-In Reducer, Nickel-Plated Brass



ØD1	ØD2	P/N
4	6	3666 04 06
4	8	3666 04 08
6	8	3666 06 08
6	10	3666 06 10
6	12	3666 06 12
8	10	3666 08 10
8	12	3666 08 12
8	14	3666 08 14
10	12	3666 10 12
10	14	3666 10 14
12	14	3666 12 14

3668

Plug-In Increaser, Nickel-Plated Brass



ØD1	ØD2	P/N
6	4	3668 06 04

Push-In Fittings - High Pressure

58000

High Pressure - Straight Male Adaptor (Taper), Nickel-Plated Brass



ØD	C	P/N
4	M6x1	58000 00 001
4	M8x1	58000 00 002
4	M10x1	58000 00 003
4	1/8	58000 00 004
6	M6x1	58000 00 005
6	M8x1	58000 00 006
6	M10x1	58000 00 007
6	1/8	58000 00 008

58040

High Pressure - Straight Connector, Nickel-Plated Brass



ØD	P/N
4	58040 00 001
6	58040 00 002

58100

High Pressure - Fixed Elbow Male Adaptor (Taper), Nickel-Plated Brass



ØD	C	P/N
4	M6x1	58100 00 001
4	M8x1	58100 00 002
4	M10x1	58100 00 003
4	1/8	58100 00 004
6	M6x1	58100 00 005
6	M8x1	58100 00 006
6	M10x1	58100 00 007
6	1/8	58100 00 008

58111

High Pressure - Orienting Elbow Male Adaptor (Taper), Nickel-Plated Brass



ØD	C	P/N
4	M6x1	58111 00 001
4	M8x1	58111 00 002
4	M10x1	58111 00 003
4	1/8	58111 00 004
6	M6x1	58111 00 005
6	M8x1	58111 00 006
6	M10x1	58111 00 007
6	1/8	58111 00 008

Push-In Fittings - Imperial Fittings

89010

Inch Tube - Straight Male
Adaptor, Nickel-Plated Brass

ØD	C	P/N
5/32 (4)	1/8	89010 00 008
5/16 (8)	1/8	89010 00 001
5/16 (8)	1/4	89010 00 009



89040

Inch Tube - Straight Connector,
Nickel-Plated Brass

ØD	ØD	P/N
1/8		89040 00 001
1/4		89040 00 003
1/4		89040 00 004
3/8	1/4	89040 00 006
3/8	1/2	89040 00 009
3/8		89040 00 007
1/2		89040 00 008



89116

Inch Tube - Orienting Elbow Male
Adaptor (Parallel), Nickel-Plated
Brass

ØD	C	P/N
1/8	10/32	89116 00 001
5/32(4)	10/32	89116 00 002
1/4	10/32	89116 00 003



89050

Inch Tube - Bulkhead Connector,
Nickel-Plated Brass

ØD	C	P/N
1/8	M10x1	89050 00 001
1/4	M14x1	89050 00 003
3/8	M20x1	89050 00 005
1/2	M22x1	89050 00 006



89130

Inch Tube - Elbow Connector,
Nickel-Plated Brass

ØD	P/N
1/8	89130 00 001
1/4	89130 00 002
3/8	89130 00 003
1/2	89130 00 004



89216

Inch Tube - Orienting Tee Male
Adaptor - Parallel - Centre Leg,
Nickel-Plated Brass

ØD	C	P/N
1/8	10/32	89216 00 001
5/32 (4)	10/32	89216 00 002
1/4	10/32	89216 00 003



89230

Inch Tube - Tee Connector,
Nickel-Plated Brass

ØD	P/N
1/8	89230 00 001
1/4	89230 00 003
3/8	89230 00 005
1/2	89230 00 006



89310

Inch Tube - Y Connector, Nickel-
Plated Brass

ØD	P/N
1/8	89310 00 001
1/4	89310 00 003
3/8	89310 00 005



89000

Inch Tube - Straight Male Adaptor
- Universal Short, Nickel-Plated
Brass

ØD	C	P/N
1/8	10/32	89000 00 019
1/8	1/8	89000 00 001
1/8	1/4	89000 00 002
5/32 (4)	10/32	89000 00 020
5/32 (4)	1/8	89000 00 003
5/32 (4)	1/4	89000 00 004
1/4	10/32	89000 00 021
1/4	1/8	89000 00 005
1/4	1/4	89000 00 006
1/4	3/8	89000 00 007
5/16 (8)	1/8	89000 00 008
5/16 (8)	1/4	89000 00 009
5/16 (8)	3/8	89000 00 010
5/16 (8)	1/2	89000 00 022
3/8	1/8	89000 00 011
3/8	1/4	89000 00 012
3/8	3/8	89000 00 013
3/8	1/2	89000 00 014
1/2	1/8	89000 00 015
1/2	1/4	89000 00 016
1/2	3/8	89000 00 017
1/2	1/2	89000 00 018



89111

Inch Tube - Orienting Elbow Male
Adaptor - Universal Short, Nickel-
Plated Brass

ØD	ØD	P/N
1/8	1/8	89111 00 001
1/8	1/4	89111 00 002
5/32 (4)	1/8	89111 00 003
5/32 (4)	1/4	89111 00 004
1/4	1/8	89111 00 005
1/4	1/4	89111 00 006
1/4	3/8	89111 00 007
5/16 (8)	1/8	89111 00 008
5/16 (8)	1/4	89111 00 009
5/16 (8)	3/8	89111 00 010
5/16 (8)	1/2	89111 00 018
3/8	1/8	89111 00 011
3/8	1/4	89111 00 012
3/8	3/8	89111 00 013
3/8	1/2	89111 00 014
1/2	1/4	89111 00 015
1/2	3/8	89111 00 016
1/2	1/2	89111 00 017



89211

Inch Tube - Orienting Tee Male
Adaptor - Universal Short, Nickel-
Plated Brass

ØD	C	P/N
1/8	1/8	89211 00 001
1/8	1/4	89211 00 002
5/32 (4)	1/8	89211 00 003
5/32 (4)	1/4	89211 00 004
1/4	1/8	89211 00 005
1/4	1/4	89211 00 006
1/4	3/8	89211 00 007
5/16 (8)	1/8	89211 00 016
5/16 (8)	1/4	89211 00 015
5/16 (8)	3/8	89211 00 017
3/8	1/8	89211 00 014
3/8	1/4	89211 00 008
3/8	3/8	89211 00 009
3/8	1/2	89211 00 010
1/2	1/4	89211 00 011
1/2	3/8	89211 00 012
1/2	1/2	89211 00 013



89223

Inch Tube - Orienting Tee Male
Adaptor Uni. Short - Offset Leg,
Nickel-Plated Brass

ØD	C	P/N
1/8	1/8	89223 00 001
1/8	1/4	89223 00 002
5/32 (4)	1/8	89223 00 003
5/32 (4)	1/4	89223 00 004
1/4	1/8	89223 00 005
1/4	1/4	89223 00 006
1/4	3/8	89223 00 007
5/16 (8)	1/8	89223 00 015
5/16 (8)	1/4	89223 00 016
5/16 (8)	3/8	89223 00 017
3/8	1/8	89223 00 014
3/8	1/4	89223 00 008
3/8	3/8	89223 00 009
3/8	1/2	89223 00 010
1/2	1/4	89223 00 011
1/2	3/8	89223 00 012
1/2	1/2	89223 00 013



Push-In Fittings - Stainless Steel

60000

Stainless Steel - Straight Male
Adaptor (Taper)

ØD	C	P/N
4	1/8	60000 00 001
4	1/4	60000 00 002
6	1/8	60000 00 003
6	1/4	60000 00 004
8	1/8	60000 00 005
8	1/4	60000 00 006
10	1/4	60000 00 007
10	3/8	60000 00 008
12	3/8	60000 00 009
12	1/2	60000 00 010



3805

Stainless Steel - Male Stud,
BSPT Thread

ØD	C	P/N
4	R1/8	3805 04 10
4	R1/4	3805 04 13
6	R1/8	3805 06 10
6	R1/4	3805 06 13
8	R1/8	3805 08 10
8	R1/4	3805 08 13
8	R3/8	3805 08 17
10	R1/4	3805 10 13
10	R3/8	3805 10 17
12	R1/4	3805 12 13
12	R3/8	3805 12 17
12	R1/2	3805 12 21



3801

Stainless Steel - Male Stud With
FKM Seals, BSP, Parallel Metric
& UNF

ØD	C	P/N
4	R1/8	3801 04 10
4	M5x0,8	3801 04 19
6	R1/8	3801 06 10
6	R1/4	3801 06 13
6	M5x0,8	3801 06 19
8	R1/8	3801 08 10
8	R1/4	3801 08 13
8	R3/8	3801 08 17
10	R1/4	3801 10 13
10	R3/8	3801 10 17
12	R1/4	3801 12 13
12	R3/8	3801 12 17



60020

Stainless Steel - Straight Male
Adaptor

ØD	C	P/N
4	M5	60020 00 011
4	1/8	60020 00 001
4	1/4	60020 00 002
6	M5	60020 00 013
6	1/8	60020 00 003
6	1/4	60020 00 004
8	1/8	60020 00 005
8	1/4	60020 00 006
10	1/4	60020 00 007
10	3/8	60020 00 008
10	1/2	60020 00 012
12	3/8	60020 00 009
12	1/2	60020 00 010



3809



Stainless Steel - **Male Stud Elbow**, BSPT & Metric Thread

ØD	C	P/N
4	M5x0,8	*3899 04 19
4	R1/8	3809 04 10
6	R1/8	3809 06 10
6	R1/4	3809 06 13
8	R1/8	3809 08 10
8	R1/4	3809 08 13
10	R1/8	3809 10 13
10	R1/4	3809 10 17

3889



Stainless Steel - **Compact Male Stud Elbow**, BSPT Thread

ØD	C	P/N
4	R1/8	3889 04 10
4	R1/4	3889 04 13
6	R1/8	3889 06 10
6	R1/4	3889 06 13
8	R1/8	3889 08 10
8	R1/4	3889 08 13
10	R1/4	3889 10 13
10	R3/8	3889 10 17
12	R1/4	3889 12 13
12	R3/8	3889 12 17
12	R1/2	3889 12 21

60110



Stainless Steel - **Orienting Elbow Male Adapter** (Taper)

ØD	C	P/N
4	1/8	60110 00 001
4	1/4	60110 00 002
6	1/8	60110 00 003
6	1/4	60110 00 004
8	1/8	60110 00 005
8	1/4	60110 00 006
10	1/4	60110 00 007
10	3/8	60110 00 008
10	1/2	60110 00 009
12	3/8	60110 00 010
12	1/2	60110 00 011

60115



Stainless Steel - **Orienting Elbow Male Adapter** (Parallel)

ØD	C	P/N
4	M5	60115 00 012
4	1/8	60115 00 001
4	1/4	60115 00 002
6	M5	60115 00 013
6	1/8	60115 00 003
6	1/4	60115 00 004
8	1/8	60115 00 005
8	1/4	60115 00 006
10	1/4	60115 00 007
10	3/8	60115 00 008
10	1/2	60115 00 009
12	3/8	60115 00 010
12	1/2	60115 00 011

3802



Stainless Steel - **Equal Elbow**

ØD	P/N
4	3802 04 00
6	3802 06 00
8	3802 08 00
10	3802 10 00
12	3802 12 00

60130



Stainless Steel - **Elbow Connector**

ØD	P/N
4	60130 00 001
6	60130 00 002
8	60130 00 003
10	60130 00 004
12	60130 00 005

3804



Stainless Steel - **Equal Tee**

ØD	P/N
4	3804 04 00
6	3804 06 00
8	3804 08 00
10	3804 10 00
12	3804 12 00

60230



Stainless Steel - **Tee Connector**

ØD	P/N
4	60230 00 001
6	60230 00 002
8	60230 00 003
10	60230 00 004
12	60230 00 005

60215



Stainless Steel - **Orienting Tee Male Adapter** (Taper) Centre Leg

ØD	C	P/N
4	M5	60215 00 012
4	1/8	60210 00 001
4	1/4	60215 00 002
6	M5	60215 00 003
6	1/8	60215 00 004
8	1/8	60215 00 005
8	1/4	60215 00 006
10	1/4	60215 00 007
10	3/8	60215 00 008
10	1/2	60215 00 009
12	3/8	60215 00 010
12	1/2	60215 00 011

60210



Stainless Steel - **Orienting Tee Male Adapter** (Taper) Centre Leg

ØD	C	P/N
4	1/8	60210 00 001
4	1/4	60210 00 002
6	1/8	60210 00 003
6	1/4	60210 00 004
8	1/8	60210 00 005
8	1/4	60210 00 006
10	1/4	60210 00 007
10	3/8	60210 00 008
10	1/2	60210 00 009
12	3/8	60210 00 010
12	1/2	60210 00 011

3806



Stainless Steel - **Equal Straight Connector**

ØD	P/N
4	3806 04 00
6	3806 06 00
8	3806 08 00
10	3806 10 00
12	3806 12 00

60040



Stainless Steel - **Straight Connector**

ØD	P/N
4	60040 00 001
6	60040 00 002
8	60040 00 003
10	60040 00 004
12	60040 00 005

60050



Stainless Steel - **Bulkhead Connector**

ØD	C	P/N
4	M12	60050 00 001
6	M14	60050 00 002
8	M16	60050 00 003
10	M20	60050 00 004
12	M22	60050 00 005

3816



Stainless Steel - **Equal Bulkhead Connector**

ØD	P/N
4	3816 04 00
6	3816 06 00
8	3816 08 00
10	3816 10 00
12	3816 12 00

3821



Stainless Steel - **Male Stud Standpipe**, BSPT Thread

ØD	C	P/N
4	R1/8	3805 04 10
6	R1/8	3805 06 10
6	R1/4	3805 06 13
8	R1/8	3805 08 10
8	R1/4	3805 08 13
10	R1/4	3805 10 13
10	R3/8	3805 10 17
12	R1/4	3805 12 13
12	R3/8	3805 12 17
12	R1/2	3805 12 21

3866



Stainless Steel - **Push-In Reducer**

ØD	C	P/N
4	6	3866 04 06
4	8	3866 04 08
6	8	3866 06 08
6	10	3866 06 10
8	10	3866 08 10
8	12	3866 08 12
10	12	3866 10 12